All specifications are subject to change without notice.
Copyright © 2023–2025 INPAQ Technology Co., Ltd. All rights reserved.

# SMAJ100A-T

一般用 ROHS HF

## 外觀&形狀







INPAQ TECHNOLOGY CO., LTD.
INPAQ TECHNOLOGY CO., LTD.



注意 NOTICE: All Specifications are subject to change without notice.
1. 本文件由 INPAQ 佳邦科技網站下載，若規格變更及停產，請於訂購時確認，恕不另行通知。
2. 本文件僅說明參考標準規格，如需訂購，請依實際核准所需規格進行申辦。

All specifications are subject to change without notice.
Copyright © 2023–2025 INPAQ Technology Co., Ltd. All rights reserved.

## 規格

| | |
|---|---|
| 長(公釐) | 5.28 |
| 寬(公釐) | 2.79 |
| 高(公釐) | 2.29 |
| 尺寸代碼 英吋(公釐) | SMA / DO-214AC |
| 極性 | Uni Direction |
| 通道數 | 1 |
| 工作電壓(V) | 105 |
| 擊穿電壓(V) | 111 |
| 擊穿電壓(V) | 123 |
| 峰值脈衝電流(A) | 2.5 |
| 峰值脈衝功率(W) | 400 |


注意 NOTICE: All Specifications are subject to change without notice.
1. 本文件由 INPAQ 佳邦科技網站下載，若規格變更及停產，請於訂購時確認，恕不另行通知。
2. 本文件僅說明參考標準規格，如需訂購，請依實際核准所需規格進行申辦。

All specifications are subject to change without notice.
Copyright © 2023–2025 INPAQ Technology Co., Ltd. All rights reserved.

## 特點

Glass passivated chip junction

Reliable low cost construction utilizing molded plastic technique

Excellent clamping voltage capability

Fast response time

## 包裝訊息

| 包裝尺寸(Inch) | 載帶 | 標準包裝(KPCS) | 單重(gram) | 濕敏等級 |
|---|---|---|---|---|
| 13 | Plastic type | 5 | 0.0612 | 1 |


注意 NOTICE: All Specifications are subject to change without notice.
1. 本文件由 INPAQ 佳邦科技網站下載，若規格變更及停產，請於訂購時確認，恕不另行通知。
2. 本文件僅說明參考標準規格，如需訂購，請依實際核准所需規格進行申辦。